

# Bags, tunnel sleeves, sheaths

Customized **accessories**  
for **flexible isolator**





BAGS

FILTER BAGS

TUNNEL SLEEVES

SHEATHS



## Unique performance

Flexible and weldable plastic accessories, these objects are used for the storage and transfer of products, materials and substances from an environment specific to an environment difficult, or vice versa.

## Areas of application



HEALTH – PHARMACEUTICAL



HEALTH – HOSPITAL



NUCLEAR

THEY TRUSTED US...  
They use PiercanTech half-suits



Approvals meeting the specifications of the health-pharmaceutical sector



SANOFI PASTEUR

# Flexible containers for containment: available options

Materials


PVC

PUR


EBA/EVA

## BAGS


PIERCANTECH has a **wide range of bags**. These bags are assembled by **high frequency welding**, they can be sealed by thermal pulse.




"B TO G" BAG: STANDARD SHAPE  
*with or without seal*




BAG "B TO G": "BOTTLE SHAPE"




"ZIP" BAG




BAG IN FOUR: AZURED COLOR




BAG IN FOUR: RED COLOR



FILTER BAG WITH BELLOWS



BAG "B TO G" *with or without seals round bottom (FR)*




FILTER BAG WITHOUT BELLOW

## TUNNEL SLEEVES


The tunnel sleeves may have one or two O-rings. They are made of extruded, calendered and coated welded plastic with translucent quality and **sealed high frequency welding crystal**.



TUNNEL HANDLE  
TYPE A *2 joints*



TUNNEL HANDLE  
TYPE B *2 joints*



TUNNEL HANDLE  
TYPE C *1 joint*

## SHEATHS


These items are made by **high frequency welding tight** to ensure the hermetic closure. The sheaths serve as double protection. They are rolled up on a roll cardboard with 70 mm internal diameter.



SHEATH



SHEATH *without wires*



SHEATH *with wires*

## OUR **STRONG POINTS**

- + Confection controlled and validated
- + Compatible and adaptable to many solutions of depollution, asbestos removal and deconstruction


- + Protection of operators, safety of preparations
- + Environmental Protection



# From the study to the realized piece of soft accessories for containment

From the start of your project, PiercanTech brings you the right solution, via a controlled process - study, manufacturing, control - where quality is the object of all our vigilance.

## THE STUDY




- **Office of Studies**

Analyzes your requests and accompanies you in the search for the most suitable solution including choice of material, product development, and prototyping.

- **Economic Optimization**

The study of solutions adapted to your needs integrates both quality factors, time and production costs, thus facilitating economic optimization of your project.

## MANUFACTURING



- **The Cut**

Scissors with circular blades and vibrating blades are used for semi-automatic end cutting (unit cut to pattern, mattress format or a template).

- **The Weld**

Made by high frequency welding which guarantees a perfect seal of the assemblies.

- **Properties**

Compatible with cleaning agents, decontamination and disinfection.

## CONTROL IN THREE STEPS



**1 • Prior inspection** of raw materials and tools with verification of design dimensions via our production management software.

**2 • Control during the production** of physico-chemical parameters by the quality control laboratory and production parameters by the operators.

**3 • Control of the finished product**


- Sealing control
- Weld control
- Marking allowing the identification of the controlled part for a total traceability.

## PIERCANTECH around the world



Piercan USA • Factory  
San Diego

USA



Headquarters Piercan • Factory  
Port-en-Bessin

France



Piercan Sales Department  
• Plastunion Bondy Factory

France

Piercan products are sold in 62 countries.



### IN NEED OF INFORMATION?

Do not hesitate to call or write us an email. Piercan is at the service of your projects:

Telephone +33 (0)1 45 88 66 27

E-mail piercan@piercan.fr



### PIERCAN FRANCE

17-23 rue Marcel Dassault  
93140 Bondy - France  
01 45 88 66 27 | F 01 48 49 87 64  
piercan@piercan.fr | piercan.fr

### PIERCAN USA

180 Bosstick Blvd  
San Marcos, CA 92069 - USA  
760-599-4543  
sales@piercanusa.com | piercanusa.com

